





















ردیف	مدل	تصویر	مشخصات	قیمت (تومان)
NEW	1	RS-IPC254ST	 <p><b>4MP Mini IR Fixed Bullet Network Camera(Easystar)</b> High quality image with 4MP, 1/3"CMOS sensor 4MP (2688*1520)@ 25/20fps; 4MP (2560*1440)@ 25/20fps Ultra 265, H.265, H.264, MJPEG 4mm lens 120dB true WDR technology enables clear image in strong light scene <b>Smart IR, up to 50m</b> (164ft) IR distance, Supports 256 G Micro SD card, IP67 protection, Built-in Mic</p> <p>4MP H265+ WDR</p>	3,508,000
	2	RS-IPC224RB	 <p><b>4MP NETWORK MINI BULLET CAMERA METAL CASE</b> 1/2.7" 4MP progressive scan CMOS Up to 2592*1520 resolution (20fps) <b>4 mm lens</b> Max IR distance: <b>30 meters (Smart IR)</b> <b>H.265+</b>, H.265, H.264 OSD,DWDR,3DDNR, BLC, ROI PoE, DC12V, IP67</p> <p>4MP H265+ WDR</p>	3,155,000
NEW	3	RS-IPC222ST	 <p><b>2MP Mini Fixed Bullet Network Camera(Easy star)</b> 1/2.7", 2.0 megapixel, progressive scan, CMOS Ultra 265, H.265, H.264, MJPEG 4mm lens OSD,3DDNR, BLC, ROI 120dB true WDR technology enables clear image in strong light scene <b>Smart IR, up to 50m</b> IR distance, Supports 256 G Micro SD card, IP67 protection</p> <p>2MP H265+ DWDR</p>	2,802,000
	4	RS-IPC222RB	 <p><b>2MP NETWORK BULLET CAMERA</b> 1/2.7" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) <b>4 mm lens</b> Max 30m IR distance <b>H.265+</b>, H.265, H.264 OSD,DWDR,3DDNR, BLC, ROI PoE, DC12V, IP67</p> <p>2MP H265</p>	2,331,000
	5	RS-IPC224RD	 <p><b>4MP VANDAL NETWORKDOME CAMERA</b> 1/3" 4MP progressive scan CMOS Up to 2592*1520 resolution (20fps) 4 mm lens Max IR distance: <b>30 meters</b> <b>H.265+</b>, H.265, H.264 OSD,DWDR, 3DDNR, BLC PoE,DC 12V, IP67,IK10</p> <p>4MP H265+ Vandal</p>	3,155,000
NEW	6	RS-IPC222SD	 <p><b>2MP VANDAL NETWORKDOME CAMERA</b> 1/2.7" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens Max IR distance: <b>30 meters</b> <b>H.265+</b>, H.265, H.264 OSD,<b>WDR</b>, 3DDNR, BLC PoE, DC12V,IP67, IK10</p> <p>2MP H265+ Vandal</p>	2,331,000

ردیف	مدل	تصویر	مشخصات	قیمت (تومان)
7	RS-IPC222RD 	 ONVIF 2MP H265	<b>2MP NETWORK DOME CAMERA PELASTIC CASE</b> 1/2.7" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) <b>4 mm lens</b> Max IR distance: <b>30 meters (Smart IR)</b> <b>H.265+</b> , H.265, H.264 OSD,DWDR,3DDNR, BLC, ROI PoE, DC12V, IP67	<b>2,331,000</b>
8	RS-IP322PTX22 		<b>2MP 25x LIGHT HUNTER Network IR PTZ Dome Camera</b> 1/2.8", 2.0 megapixel, progressive scan, CMOS 1920*1080@30fps in the main stream <b>25X optical zoom, Up to 120 dB Optical WDR</b> Ultra 265, H.265, ONVIF Smart IR, <b>up to 150m IR distance</b> Audio 1 in and 1 out, Alarm 2 in and 1 out Micro SD, up to 256GB DC12V, 16~30W, POE+, IP66	<b>17,600,000</b>
9	RS-IP322PTX30 		<b>2MP 30X LIGHT HUNTER NETWORK IR PTZ DOME CAMERA</b> 1/2.8" progressive scan CMOS Up to 1920 x 1080 resolution, 30fps <b>30X Optical Zoom, Up to 120 dB Optical WDR</b> Ultra 265, H.265, H.264, MJPEG, ONVIF Smart IR, <b>up to 150m IR distance</b> Alarm I/O, Audio I/O AC24V, DC24V, PoE+, IP66	<b>27,500,000</b>
10	RS-NVr9564N8 	 64ch H265+ 4K NVR	<b>64CHANNEL 4K NVR</b> Up to 64 channel IP camera , Third-Party Onvif Support <b>Up to 12 MP</b> Resolution recording, <b>Max 320 Mbps</b> Bit rate input Playback 16 CH@1080p or 8 CH@4MP or 4 CH@4K or 3CH@12MP <b>H.265+</b> , H.265, H.264 video compression <b>8 SATA</b> (8TB), 1ESATA,3 USB 2.2, 16/4 Alarm in/out, 1/1 Audio I/O 2 HDMI, HDMI2 at up to 4K, VGA (1920*1080p) <b>ANR</b> Technology Support ,RS-485, 2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>35,200,000</b>
11	RS-NVR432H5 	 32ch H265+ 4K NVR	<b>32 CHANNEL 4K NVR</b> Up to 32 channel IP camera , Third-Party Onvif Support <b>Up to 12 MP</b> Resolution recording, <b>Max 320 Mbps</b> Bit rate input Playback 16 CH@1080p or 8 CH@4MP or 4 CH@4K or 3CH@12MP <b>H.265+</b> , H.265, H.264 video compression <b>4 SATA</b> (32TB), 3 USB 2.2, 16/4 Alarm in/out, 1/1 Audio I/O 2 HDMI, HDMI2 at up to 4K, VGA (1920*1080p) <b>ANR</b> Technology Support ,RS-485, 2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>18,691,000</b>

ردیف	مدل	تصویر	مشخصات	قیمت (تومان)
12	RS-NVR9532-N4 	 <b>32</b> ch H265+ 4K NVR	<b>32 CHANNEL 4K NVR</b> Up to 32 channel IP camera , Third-Party Onvif Support <b>Up to 12 MP</b> Resolution recording, <b>Max 320 Mbps</b> Bit rate input Playback 16 CH@1080p or 8 CH@4MP or 4 CH@4K or 3CH@12MP <b>H.265+</b> , H.265, H.264 video compression <b>4 SATA</b> (32TB), 3 USB 2.2, 16/4 Alarm in/out, 1/1 Audio I/O 2 HDMI, HDMI2 at up to 4K, VGA (1920*1080p) <b>ANR</b> Technology Support ,RS-485, 2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>18,691,000</b>
13	RS-NVR9332N2 	 <b>32</b> ch H265+ 4K NVR	<b>32 Channel 4K NVR</b> Support Ultra265/H.265/H.264 video formats 32-channel input Third-party IP cameras supported with ONVIF conformance: HDMI up to 4K, and VGA (1920*1080) <b>Up to 8 Megapixels</b> resolution recording, <b>Max 160 Mbps</b> Bit rate input Playback 8CH @1080P or 4CH @4mp or 2CH @4K 2 SATA HDDs, up to 6TB for each HDD ANR technology to enhance the storage reliability when the network is disconnected Support cloud upgrade Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>8,098,000</b>
14	RS-NVR416H5 	 <b>16</b> ch H265+ 4K NVR	<b>16 CHANNEL 4K NVR</b> Up to 16 channel IP camera, Third-Party Onvif Support <b>Up to 8 MP</b> Resolution recording, <b>Max 112 Mbps</b> Bit rate input Playback 4 CH@1080p or 2 CH@4MP or 1 CH@4K <b>H.265+</b> , H.265, H.264 video compression <b>2 SATA</b> (16TB), 2 USB 2.2, /1 Audio I/O <b>HDMI (4k)</b> , VGA (1920*1080p) <b>ANR</b> Technology Support ,RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>6,568,000</b>
15	RS-NVR9416N1 	 <b>16</b> ch H265+ 4K NVR	<b>16 CHANNEL 4K NVR</b> Up to16 channel IP camera , Third-Party Onvif Support <b>Up to 8 MP</b> Resolution recording, <b>Max 160 Mbps</b> Bit rate input Playback 8 CH@1080p or 4 CH@4MP or 2CH@4K <b>H.265+</b> , H.265, H.264 video compression <b>2 SATA</b> up to 6TB for each HDD, 2 USB 2.2, 4/1, 1/1 Audio I/O <b>HDMI (4k)</b> , VGA (1920*1080p) <b>ANR</b> Technology Support ,2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>6,450,000</b>
16	RS-NVR9316N1 	 <b>16</b> ch H265+ 4K NVR	<b>16CHANNEL 4K NVR</b> Up to 16 channel IP camera , Third-Party Onvif Support <b>Up to 8 MP</b> Resolution recording, <b>Max 64Mbps</b> Bit rate input Playback 8 CH@1080p or 4 CH@4MP or 2 CH@4K <b>H.265+</b> , H.265, H.264 video compression <b>1 SATA</b> (6TB), 2 USB 2.2, 4/1 Alarm in/out, 1/1 Audio I/O <b>HDMI (4k)</b> , VGA (1920*1080p) RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>4,567,000</b>
17	RS-NVR408H5 	 <b>8</b> ch H265+ 4K NVR	<b>8 CHANNEL 4K NVR</b> Up to 8 channel IP camera , Third-Party Onvif Support <b>Up to 8 MP</b> Resolution recording, <b>Max 48 Mbps</b> Bit rate input Playback 4 CH@1080p or 2 CH@4MP or 1 CH@4K <b>H.265+</b> , H.265, H.264 video compression <b>1 SATA</b> (8TB), 2 USB 2.2, 4/1 Alarm in/out, 1/1 Audio I/O <b>HDMI (4k)</b> , VGA (1920*1080p) <b>ANR</b> Technology Support ,RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , <b>P2P, Smart Alarming</b>	<b>3,979,000</b>

ردیف	مدل	تصویر	مشخصات	قیمت (تومان)
18	RS-NVR208H5 	 <b>4</b> ch H265+ 4K NVR	<b>8 CHANNEL 2MP NVR</b> Up to 8 channel IP camera <b>Up to 2 MP</b> Resolution recording, <b>Max 40 Mbps</b> Bit rate input Playback 8 sync playback <b>H.265+</b> , H.265, H.264 video compression <b>1 SATA</b> (10TB), 2 USB 2.0 1HDMI, VGA RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade	<b>2,802,000</b>
19	RS-NVR204H5 	 <b>8</b> ch H265+ 4K NVR	<b>4 CHANNEL 2MP NVR</b> Up to 4 channel IP camera <b>Up to 2 MP</b> Resolution recording, <b>Max 40 Mbps</b> Bit rate input Playback 4 sync playback <b>H.265+</b> , H.265, H.264 video compression <b>1 SATA</b> (10TB), 2 USB 2.0 1HDMI (4k), VGA RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade	<b>2,449,000</b>