








#	مدل	تصویر	مشخصات	قیمت (تومان)
1	HW-S410L		<p>چهار زون با سیم و یک زون بی سیم</p> <p>- قابلیت اضافه کردن حداکثر ۲۰ عدد سنسور بی سیم</p> <p>- تعریف نام جداگانه برای هر زون و دستگاه به دو زبان انگلیسی و فارسی</p> <p>- زون تاخیری، دینگ دانگ، ۲۴ ساعته</p> <p>- غیرفعال سازی موقت هر زون از طریق پیامک</p> <p>- دو عدد خروجی جهت کنترل وسایل برقی</p> <p>- سه نوع حافظه ی ۱۰ تایی برای ثبت شماره تلفن</p> <p>- اطلاع رسانی آلام از سه طریق پیامک و تماس از سیم کارت و خط ثابت</p> <p>- گزارش دهی ورود-خروج ، قطع و وصل برق، قطع تلفن و میزان شارژ سیم کارت از طریق پیامک</p> <p>- تنظیم میزان دسترسی</p> <p>- قابلیت کنترل دستگاه از طریق نرم افزار اندروید و IOS .</p> <p>پیام کوتاه و تماس</p>	3,669,000
2	HW-SW10		<p>- دارای فرکانس ۳۱۵ مگاهرتز</p> <p>- ارسال گزارش وضعیت باتری به دزدگیر</p> <p>- امکان تنظیم زمان عملکرد چشمی</p> <p>- بهترین عملکرد در شرایط دمای متفاوت</p> <p>- زاویه دید ۱۴۰ درجه و طول دید ۱۴ متر</p> <p>- توان مصرفی پایین</p> <p>- فرستندگی فرکانس بالا</p>	465,000
3	HW-S10		<p>- قابلیت نصب در دماهای مختلف</p> <p>- دارای مقاومت پایین در خروجی</p> <p>- جریان مصرفی پایین</p>	314,000
4	HW-S20		<p>- قابلیت نصب در دماهای مختلف</p> <p>- دارای مقاومت پایین در خروجی</p> <p>- جریان مصرفی پایین</p> <p>تنظیم میزان حساسیت</p>	392,000

5	HW-AZP		<p>ولتاژ کاری: 3~20 VDC  سطح فشار صوت: 80dB  فرکانس: 200±3500 Hz  دمای کاری: -30°C ~ +70°C</p>	تماس بگیرد
6	HW-RG1448F2		<p><b>RG59 75 Ohms CCTV Cable</b>  Inner Conductor: <b>0.8mm</b> Bare Copper  Shield: <b>144</b> Strand 0.12mm  <b>Double Foil</b>  <b>Copper Purity: 99%</b>  Jacket : PVC A+ Grade  <b>500Meters</b> , Wooden Spool, Carton</p>	7,985
7	HW-RG1287F2		<p><b>RG59 75 Ohms CCTV Cable</b>  Inner Conductor: <b>0.7mm</b> Bare Copper  Shield: <b>128</b> Strand 0.12mm  <b>Double Foil</b>  <b>Copper Purity: 99%</b>  Jacket : PVC A+ Grade  <b>500Meters</b> , Wooden Spool, Carton</p>	7,210
8	HW-RG967		<p><b>RG59 75 Ohms CCTV Cable</b>  Inner Conductor: <b>0.7mm</b> Bare Copper  Shield: <b>96</b> Strand 0.12mm  <b>Copper Purity: 99%</b>  Jacket : PVC A+ Grade  <b>500Meters</b> , Wooden Spool, Carton</p>	6,268
9	HW-RG967C		<p><b>RG59+Power 75 Ohms CCTV Compound Cable</b>  Inner Conductor: <b>0.7mm</b> Bare Copper  Shield: <b>96</b> Strand 0.12mm  <b>Copper Purity: 99%</b>  Power Conductor: 2×0.5mm /11 Strand CCA  Jacket : PVC A+ Grade  <b>305Meters</b>, Wooden Spool, Carton</p>	7,448
10	HW-RG646		<p><b>RG59 75 Ohms CCTV Cable</b>  Inner Conductor: <b>0.6mm</b> Bare Copper  Shield: <b>64</b> Strand 0.12mm  <b>Copper Purity: 99%</b>  Jacket : PVC A+ Grade  <b>150Meters</b>, Carton</p>	4,850

11	HW-RG646C		<p><b>RG59+Power 75 Ohms CCTV Compound Cable</b>  Inner Conductor: <b>0.6mm</b> Bare Copper  Shield: <b>64</b> Strand 0.12mm  <b>Copper Purity: 99%</b>  Power Conductor: 2×0.5mm /11 Strand CCA  Jacket : PVC A+ Grade  <b>100Meters, Carton</b></p>	6,268
12	HW-AD1220		<p><b>Adaptor 12V/2A DC</b>  - Input : 110~240 V AC  - Output : 12V DC / 2A (24 w)  - OVP: over voltage protection  - OLP: over land Protection  - Plastic Case &amp; LED Power On  - Customize For CCTV Camera &amp; Recorder</p>	تماس بگیریید
13	HW-AD1220C		<p><b>Adaptor 12V/2A DC</b>  - Input : 110~240 V AC  - Output : 12V DC / 2A (24 w)  - OVP: over voltage protection  - OLP: over land Protection  - Plastic Case &amp; LED Power On  - Customize For CCTV Camera</p>	تماس بگیریید