

1. UVR7TAA04RM-D54G

H.265+ 4ch 1080P Lite 15fps 5 in 1 DVR
4ch 1080P Lite 15fps Recording/ 4ch Playback
Video I/O: 4/ 1; Audio I/O: 1 /1;
HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Event Stream . Lock Files . Multi Cast . Extra 2CH IP

17,500,000 IR



2. UVR7TAA08RM-D58G

H.265+ 8ch 1080P Lite 12fps 5 in 1 DVR
8ch 1080P Lite 12fps Recording/ 8ch Playback
Video I/O: 4/ 1; Audio I/O: 1 /1;
HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Event Stream . Lock Files . Multi Cast . Extra 2CH IP

23,500,000 IR



3. UVR7TCA16RM-D5C6

H.265+ 16ch 1080P Lite 12fps 5 in 1 DVR
16ch 1080P Lite 12fps Recording/ 16ch Playback
Video I/O: 4/ 1; Audio I/O: 1 /1;
HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Event Stream . Lock Files . Multi Cast . Extra 2CH IP

41,000,000 IR



4. UVR7TCC04AM-D54G

NEW

H.265+ 4ch 1080P Lite 15fps 5 in 1 UVR
4ch 1080P Lite 15fps Recording/ 4ch Playback
Video I/O: 4/ 1; Audio I/O: 1 /1;
HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
4ch SMD based on Human and Vehicle
Extra 2CH IP
Event Stream . Lock Files . Multi Cast

Coming Soon



5. UVR7TCC08AM-D58G

NEW

H.265+ 8ch 1080P Lite 12fps 5 in 1 UVR
8ch 1080P Lite 12fps Recording/ 8ch Playback
Video I/O: 8/ 1; Audio I/O: 1 /1;
HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
4ch SMD based on Human and Vehicle
Extra 2CH IP
Event Stream . Lock Files . Multi Cast

Coming Soon



به همراه نرم افزارهای انتقال و مدیریت تصاویر

کلیه دستگاه ها دارای قابلیت به روز رسانی از طریق فضای ابری (Cloud) می باشند.



6. UVR7TAA04EH-D54G

H.265+ 4CH 1080P 15fps UVR
 4ch 5MP Lite@12fps Recording/4ch Playback
 4ch 1080P@15fps Recording/4ch Playback
 Video I/O:4/ 1; Audio I/O: 1/ 1;
 HDMI,VGA,CVBS,SATA*1(10T HDD), 3G/4G, WIFI
 USB Mouse, DC12V/2A Adapter
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion . Region Entrance . Region Existing
Fast Moving . Unattended Object . Object Missing . Face Detection
Extra 2CH IP . Event Stream . Lock Files . Multi Cast

27,500,000 IR



7. UVR7TCA08EH-D58G

H.265+ 8CH 1080P 15fps UVR
 8ch 5MP Lite@12fps Recording/4ch Playback
 8ch 1080P@15fps Recording/4ch Playback
 Video I/O:8/ 1; Audio I/O: 1/ 1;
 HDMI,VGA,CVBS,SATA*1(10T HDD), 3G/4G, WIFI
 USB Mouse, DC12V/2A Adapter
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion . Region Entrance . Region Existing
Fast Moving . Unattended Object . Object Missing . Face Detection
Event Stream . Lock Files . Multi Cast

37,800,000 IR



8. UVR7TQ16H-D5C8

NEW

H.265+ 16CH 1080P 15fps UVR
 16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps
 Recording/16ch Playback
 Video I/O: 16/ 1; Audio I/O: 1/ 1;
 HDMI,VGA,CVBS,SATA*1(8T HDD), 3G/4G, WIFI, PTZ
 USB Mouse, DC12V/2A Adapter
Face Detection . Smart Detection & Playback
Cloud Storage & Upgrade . Extra 4CH IP
 Dimension:250(W)x230(D)x45(H)mm

72,000,000 IR



9. UVR7TQ16H-G1C5

NEW

H.265+ 16CH 1080P 15fps DVR
 16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps
 Recording/16ch Playback
 Video I/O: 16 /1; Audio I/O: 4/ 1; Alarm I/O: 4/ 1
 HDMI,VGA,CVBS,SATA*2(8T HDD), 3G/4G, WIFI, PTZ
 USB Mouse, DC12V/4A Adapter
Face Detection . Smart Detection & Playback
Cloud Storage & Upgrade . Extra 4CH IP
 Dimension:326(W)x243(D)x52(H)mm

85,000,000 IR



به همراه نرم افزارهای انتقال و مدیریت تصاویر
 کلیه دستگاه ها دارای قابلیت به روز رسانی از طریق فضای ابری (Cloud) می باشند.



10. UVR7TF04RQ-D149

H.265+ 4CH 8MP 5 in 1 UVR
 4ch 8MP 7fps Recording / 1ch Playback
 4ch 5MP 12fps Recording / 4ch Playback
 4ch 8MP Lite 15fps Recording / 4ch Playback
 Video I/O: 4/ 1; Audio 4/ 1
 HDMI, VGA, CVBS, SATA*1(10T HDD), 3G/4G, WIFI, PTZ
Human Body Detection
 Smart Playback . Cloud Update . Cloud Storage
 Line Crossing . Area Intrusion . Region Entrance . Region Existing
 Fast Moving . Unattended Object . Object Missing . Face Detection
 Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support

45,000,000 IR



11. UVR7TG08RQ-D189

H.265+ 8CH 8MP 5 in 1 UVR
 8ch 8MP 7fps Recording / 4ch Playback
 8ch 5MP 12fps Recording / 8ch Playback
 4ch 8MP Lite 15fps Recording / 8ch Playback
 Video I/O: 8/ 1; Audio 4/ 1
 HDMI, VGA, CVBS, SATA*1(10T HDD), 3G/4G, WIFI, PTZ
Human Body Detection
 Smart Playback . Cloud Update . Cloud Storage
 Line Crossing . Area Intrusion . Region Entrance . Region Existing
 Fast Moving . Unattended Object . Object Missing . Face Detection
 Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support

68,000,000 IR



12. UVR6TH16Q-N5C2

H.265+ 16CH 8MP Lite 5 in 1 UVR
 Channel Number: 16ch Analog
 16ch 8MP 7fps Recording/4ch Playback
 16ch 5MP Lite 12fps Recording/8ch Playback
 Video I/O: 16/ 1; Audio 4/ 1; Alarm I/O 8/ 4;
 HDMI, VGA, CVBS, SATA 2*(8T HDD), 3G/4G, WIFI, PTZ
Smart Playback . Cloud Update . Cloud Storage
 Line Crossing . Area Intrusion . Region Entrance . Region Existing
 Fast Moving . Unattended Object . Object Missing . Face Detection
 Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support

150,000,000 IR



به همراه نرم افزارهای انتقال و مدیریت تصاویر

کلیه دستگاه ها دارای قابلیت به روز رسانی از طریق فضای ابری (Cloud) می باشند.



13. UVC94B1AR



1/3" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output without OSD
Fixed Bullet Camera
2pcs SMD LED
IR range up to 30M
3.6mm Lens
IP67
Gross Weight: 280g

Size: \varnothing 66X175.3mm
Metal + Plastic Housing

7,450,000 IR



14. UVC94D85 (2.8mm)



1/3" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output without OSD
Fixed Turret Camera
18pcs SMD LED
IR range up to 30M
2.8mm Lens
IP66
Gross Weight: 215g

Size: \varnothing 92*88mm
Metal Housing: Plastic Cover + Metal Ball

7,600,000 IR



15. UVC94B29R



1/3" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
4PCS SMD LED
IR range up to 50M
3.6mm Lens
IP66
Size: 235*83*72.7 mm

Gross Weight: 520g Plastic+Metal Housing: White

9,150,000 IR



16. UVC85B19B



1/3" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, DWDR, UTC
TVI/CVI/AHD/CVBS Output
Fixed IR Waterproof Bullet Camera
IR LED: 18pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance: IP66
3-Axis cable built-in bracket
DC12V Size: 67.5*57.5*155mm

Gross Weight: 260g Metal Housing: White

6,700,000 IR



17. UVC78B29



1/2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
TVI/CVI/AHD/CVBS Output
Fixed Bullet Camera
30pcs SMD LED
IR range up to 50M
3.6mm Lens
IP66
Size: \varnothing 67X211mm

Gross Weight: 720g Metal Housing: White

Call



18. UVC77B19BN

Warm Light



1/2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Metal Bullet Camera
1pcs **Warm Light** / IR range: 30M
3.6mm Lens
IP66
Gross Weight: 370g

Size: 152*67.5*57.5mm
Housing Material: Metal

Call



19. UVC77D87N

Warm Light



1/2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Metal Bullet Camera
2PCs **Warm Light** / IR Range 30m
3.6mm Lens
IP66
Gross Weight: 214g

Size: \varnothing 92X88mm
Metal Housing: Plastic Cover + Metal Ball

Call



☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر



20. UVC65B19B

1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D DNR, DWDR, UTC
AHD, TVI: 5MP/4MP CVI: 4MP
AHD/TVI/CVI/CVBS Output
Fixed IR Waterproof Bullet Camera
IR LED: 18pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance:IP66
DC12V Size: 152x67.5x57.5mm

10,500,000 IR



Gross Weight: 365g Metal Housing:White

21. UVC83D85

1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D DNR, DWDR, UTC
AHD/TVI 5MP@20fps CVI 4MP@30fps
AHD/TVI/CVI/CVBS Output
Fixed IR Waterproof Dome Camera
IR LED: 18pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance:IP66
DC12V Size: 92x88(H) mm

9,600,000 IR



Gross Weight:215g Plastic Cover+Metal Ball

22. UVC83B29R

1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D DNR, DWDR, UTC
AHD/TVI 5MP@20fps CVI 4MP@30fps
AHD/TVI/CVI/CVBS Output
Fixed IR Waterproof Bullet Camera
IR LED: 30pcs SMD LED
IR range up to 50M
3.6mm Lens
IP66
Size: 67X211mm

12,600,000 IR



Gross Weight: 320g Plastic Housing: White

23. UVC83C29

1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D DNR, DWDR, UTC
AHD/TVI 5MP@20fps CVI 4MP@30fps
AHD/TVI/CVI/CVBS Output
Varifocal IR Waterproof Bullet Camera
IR LED: 30pcs SMD LED
IR range up to 50M
3.3 -12mm Varifocal Lens
IP66
Size: 67X211mm

17,100,000 IR



Gross Weight: 720g Metal Housing: White

24. UVC83E97

1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D DNR, DWDR, UTC
AHD/TVI 5MP@20fps CVI 4MP@30fps
AHD/TVI/CVI/CVBS Output
Varifocal Metal Dome Camera
IR LED: 24pcs SMD LED
IR range up to 40M
3.3-12mm Varifocal Lens
Weather Resistance:IP66
DC12V Size: 120x108(H) mm

17,100,000 IR



Gross Weight:650g Metal Housing:White

☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر



۰۲۱-۷۴۸۵۶

datisint.com

25. UVC62D83

1/ 2.3" CMOS Sensor/8MP
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed IR Waterproof Dome Camera
IR LED: 18pcs SMD LED
IR range up to 30M
3.6mm Lens

8MP

IP66 DC12V Size: 114*83mm Gross Weight: 350g Metal Housing: White

13,000,000 IR



26. UVC78E97

1/ 2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Varifocal Turret Camera
24pcs SMD LED
IR range up to 40M
2.8-12mm Varifocal Lens
IP66
Gross Weight: 650g

2MP

Size: φ120*108mm
Housing Material: Metal

13,500,000 IR



27. UVC78C29

1/ 2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Varifocal IR Waterproof Bullet Camera
IR LED: 30pcs SMD LED IR range up to 50M
2.8-12mm Varifocal Lens
IP66

2MP

3-Axis cable built-in bracket
DC12V Size: C 67X211mm Gross Weight: 720g Metal Housing: White

13,500,000 IR



28. UVC101B1AR-L

1/ 3" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED + 1pcs White Light
IR range up to 30M
3.6mm Lens

2MP

IP67 Gross Weight: 220g Size: φ 65.5*183mm
Housing: Metal+Plastic

Coming Soon



29. UVC101T9AQ-L

1/ 3" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED + 1pcs White Light
IR range up to 30M
3.6mm Lens
IP67

2MP

Size: C 102 x 82.4(H) mm Gross Weight: 205g
Housing: Plastic Cover + Metal Ball

Coming Soon



✓ به همراه نرم افزارهای انتقال و مدیریت تصاویر



۰۲۱-۷۴۸۵۶

datisint.com

30. UVC64B1A

1/2.9" Sony CMOS Sensor/2MP
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Starlight, Smart IR
Fixed IR Waterproof Bullet Camera
2pcs SMD LED / IR range: 30M
IR range up to 30M
3.6mm Lens

12,200,000 IR



Star Light **2MP**

Weather Resistance: IP67 3-Axis cable built-in bracket
DC12V Size: \varnothing 62X163mm Gross Weight: 400g Metal Housing: White

31. UVC64D8A

1/2.9" Sony CMOS Sensor/2MP
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Starlight, Smart IR
Fixed IR Waterproof Dome Camera
2pcs SMD LED / IR range: 30M
IR range up to 30M
3.6mm Lens

12,200,000 IR



Star Light **2MP**

Weather Resistance: IP67
DC12V Size: \varnothing 114X83mm Gross Weight: 350g Metal Housing: White

32. UVC64C29-Z

1/2.9" Sony CMOS Sensor/2MP
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Starlight, Smart IR
Varifocal IR Waterproof Bullet Camera
IR LED: 30pcs SMD LED
IR range up to 50M
2.8 -12mm **Motorized** Lens

Call



Star Light **2MP**

Weather Resistance: IP66
DC12V Size: \varnothing 114X83mm Gross Weight: 350g Metal Housing: White

33. UVC77D8A

1/2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Metal Dome Camera
2pcs SMD LED / IR range: 30M
3.6mm Lens

8,300,000 IR



2MP

IP67 Size: \varnothing 102 x 82.4(H)mm
Gross Weight: 350g Housing Material: Metal

34. UVC77B1A

1/2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Metal Bullet Camera
2pcs SMD LED / IR range: 30M
3.6mm Lens

8,300,000 IR



2MP

IP67 Size: \varnothing 64.8X165.3mm
Gross Weight: 350g Housing Material: Metal

35. UVC68D85

1/2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output without OSD
Fixed Turret Camera
18pcs SMD LED
IR range up to 30M

8,500,000 IR



2MP

Built-in Mic (TVI Mode)
IP66 Size: \varnothing 92*88mm
Gross Weight: 215g Metal Housing: Plastic Cover + Metal Ball

☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر

