







#	مدل	تصویر	مشخصات	قیمت (تومان)
1	HW-S410L		<p>چهار زون با سیم و یک زون بی سیم</p> <p>- قابلیت اضافه کردن حداکثر ۲۰ عدد سنسور بی سیم</p> <p>- تعریف نام جداگانه برای هر زون و دستگاه به دو زبان انگلیسی و فارسی</p> <p>- زون تاخیری، دینگ دانگ، ۲۴ ساعته</p> <p>- غیرفعال سازی موقت هر زون از طریق پیامک</p> <p>- دو عدد خروجی جهت کنترل وسایل برقی</p> <p>- سه نوع حافظه ی ۱۰ تایی برای ثبت شماره تلفن</p> <p>- اطلاع رسانی آلام از سه طریق پیامک و تماس از سیم کارت و خط ثابت</p> <p>- گزارش دهی ورود-خروج ، قطع و وصل برق، قطع تلفن و میزان شارژ سیم کارت از طریق پیامک</p> <p>- تنظیم میزان دسترسی</p> <p>- قابلیت کنترل دستگاه از طریق نرم افزار اندروید و IOS .</p> <p>پیام کوتاه و تماس</p>	3,335,000
2	HW-SW10		<p>- دارای فرکانس ۳۱۵ مگاهرتز</p> <p>- ارسال گزارش وضعیت باتری به دزدگیر</p> <p>- امکان تنظیم زمان عملکرد چشمی</p> <p>- بهترین عملکرد در شرایط دمای متفاوت</p> <p>- زاویه دید ۱۴۰ درجه و طول دید ۱۴ متر</p> <p>- توان مصرفی پایین</p> <p>- فرستندگی فرکانس بالا</p>	465,000
3	HW-S10		<p>- قابلیت نصب در دماهای مختلف</p> <p>- دارای مقاومت پایین در خروجی</p> <p>- جریان مصرفی پایین</p>	314,000
4	HW-S20		<p>- قابلیت نصب در دماهای مختلف</p> <p>- دارای مقاومت پایین در خروجی</p> <p>- جریان مصرفی پایین</p> <p>تنظیم میزان حساسیت</p>	392,000

5	HW-AZP		<p>ولتاژ کاری: 3~20 VDC سطح فشار صوت: 80dB فرکانس: 200±3500 Hz دمای کاری: -30°C ~ +70°C</p>	تماس بگیرد
6	HW-RG1448F2		<p>RG59 75 Ohms CCTV Cable Inner Conductor: 0.8mm Bare Copper Shield: 144 Strand 0.12mm Double Foil Copper Purity: 99% Jacket : PVC A+ Grade 500Meters , Wooden Spool, Carton</p>	7,612
7	HW-RG1287F2		<p>RG59 75 Ohms CCTV Cable Inner Conductor: 0.7mm Bare Copper Shield: 128 Strand 0.12mm Double Foil Copper Purity: 99% Jacket : PVC A+ Grade 500Meters , Wooden Spool, Carton</p>	6,865
8	HW-RG967		<p>RG59 75 Ohms CCTV Cable Inner Conductor: 0.7mm Bare Copper Shield: 96 Strand 0.12mm Copper Purity: 99% Jacket : PVC A+ Grade 500Meters , Wooden Spool, Carton</p>	5,970
9	HW-RG967C		<p>RG59+Power 75 Ohms CCTV Compound Cable Inner Conductor: 0.7mm Bare Copper Shield: 96 Strand 0.12mm Copper Purity: 99% Power Conductor: 2×0.5mm /11 Strand CCA Jacket : PVC A+ Grade 305Meters, Wooden Spool, Carton</p>	7,090
10	HW-RG646		<p>RG59 75 Ohms CCTV Cable Inner Conductor: 0.6mm Bare Copper Shield: 64 Strand 0.12mm Copper Purity: 99% Jacket : PVC A+ Grade 150Meters, Carton</p>	4,627

11	HW-RG646C		<p>RG59+Power 75 Ohms CCTV Compound Cable Inner Conductor: 0.6mm Bare Copper Shield: 64 Strand 0.12mm Copper Purity: 99% Power Conductor: 2×0.5mm /11 Strand CCA Jacket : PVC A+ Grade 100Meters, Carton</p>	5,970
12	HW-AD1220		<p>Adaptor 12V/2A DC - Input : 110~240 V AC - Output : 12V DC / 2A (24 w) - OVP: over voltage protection - OLP: over land Protection - Plastic Case & LED Power On - Customize For CCTV Camera & Recorder</p>	تماس بگیریید
13	HW-AD1220C		<p>Adaptor 12V/2A DC - Input : 110~240 V AC - Output : 12V DC / 2A (24 w) - OVP: over voltage protection - OLP: over land Protection - Plastic Case & LED Power On - Customize For CCTV Camera</p>	تماس بگیریید