
























| ردیف | مدل | تصویر | مشخصات | قیمت (تومان) |
|------|-----|-------------|---|------------------|
| NEW | 1 | RS-IPC254ST |  <p>4MP Mini IR Fixed Bullet Network Camera(Easystar) High quality image with 4MP, 1/3"CMOS sensor 4MP (2688*1520)@ 25/20fps; 4MP (2560*1440)@ 25/20fps Ultra 265, H.265, H.264, MJPEG 4mm lens 120dB true WDR technology enables clear image in strong light scene Smart IR, up to 50m (164ft) IR distance, Supports 256 G Micro SD card, IP67 protection, Built-in Mic</p> <p>4MP H265+ WDR</p> | 3,189,000 |
| | 2 | RS-IPC224RB |  <p>4MP NETWORK MINI BULLET CAMERA METAL CASE 1/2.7" 4MP progressive scan CMOS Up to 2592*1520 resolution (20fps) 4 mm lens Max IR distance: 30 meters (Smart IR) H.265+, H.265, H.264 OSD,DWDR,3DDNR, BLC, ROI PoE, DC12V, IP67</p> <p>4MP H265+ WDR</p> | 2,868,000 |
| NEW | 3 | RS-IPC222ST |  <p>2MP Mini Fixed Bullet Network Camera(Easy star) 1/2.7", 2.0 megapixel, progressive scan, CMOS Ultra 265, H.265, H.264, MJPEG 4mm lens OSD,3DDNR, BLC, ROI 120dB true WDR technology enables clear image in strong light scene Smart IR, up to 50m IR distance, Supports 256 G Micro SD card, IP67 protection</p> <p>2MP H265+ DWDR</p> | 2,547,000 |
| | 4 | RS-IPC222RB |  <p>2MP NETWORK BULLET CAMERA 1/2.7" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens Max 30m IR distance H.265+, H.265, H.264 OSD,DWDR,3DDNR, BLC, ROI PoE, DC12V, IP67</p> <p>2MP H265</p> | 2,119,000 |
| | 5 | RS-IPC224RD |  <p>4MP VANDAL NETWORKDOME CAMERA 1/3" 4MP progressive scan CMOS Up to 2592*1520 resolution (20fps) 4 mm lens Max IR distance: 30 meters H.265+, H.265, H.264 OSD,DWDR, 3DDNR, BLC PoE,DC 12V, IP67,IK10</p> <p>4MP H265+ Vandal</p> | 2,868,000 |
| NEW | 6 | RS-IPC222SD |  <p>2MP VANDAL NETWORKDOME CAMERA 1/2.7" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens Max IR distance: 30 meters H.265+, H.265, H.264 OSD,WDR, 3DDNR, BLC PoE, DC12V,IP67, IK10</p> <p>2MP H265+ Vandal</p> | 2,119,000 |

| ردیف | مدل | تصویر | مشخصات | قیمت (تومان) |
|------|---|--|--|-------------------|
| 7 | RS-IPC222RD  |  ONVIF 2MP H265 | 2MP NETWORK DOME CAMERA PELASTIC CASE 1/2.7" 2MP progressive scan CMOS Up to 1920*1080 resolution (25fps) 4 mm lens Max IR distance: 30 meters (Smart IR) H.265+ , H.265, H.264 OSD,DWDR,3DDNR, BLC, ROI PoE, DC12V, IP67 | 2,119,000 |
| 8 | RS-IP322PTX22  |  | 2MP 25x LIGHT HUNTER Network IR PTZ Dome Camera 1/2.8", 2.0 megapixel, progressive scan, CMOS 1920*1080@30fps in the main stream 25X optical zoom, Up to 120 dB Optical WDR Ultra 265, H.265, ONVIF Smart IR, up to 150m IR distance Audio 1 in and 1 out, Alarm 2 in and 1 out Micro SD, up to 256GB DC12V, 16~30W, POE+, IP66 | 16,000,000 |
| 9 | RS-IP322PTX30  |  | 2MP 30X LIGHT HUNTER NETWORK IR PTZ DOME CAMERA 1/2.8" progressive scan CMOS Up to 1920 x 1080 resolution, 30fps 30X Optical Zoom, Up to 120 dB Optical WDR Ultra 265, H.265, H.264, MJPEG, ONVIF Smart IR, up to 150m IR distance Alarm I/O, Audio I/O AC24V, DC24V, PoE+, IP66 | 25,000,000 |
| 10 | RS-NVr9564N8  |  64ch H265+ 4K NVR | 64CHANNEL 4K NVR Up to 64 channel IP camera , Third-Party Onvif Support Up to 12 MP Resolution recording, Max 320 Mbps Bit rate input Playback 16 CH@1080p or 8 CH@4MP or 4 CH@4K or 3CH@12MP H.265+ , H.265, H.264 video compression 8 SATA (8TB), 1ESATA,3 USB 2.2, 16/4 Alarm in/out, 1/1 Audio I/O 2 HDMI, HDMI2 at up to 4K, VGA (1920*1080p) ANR Technology Support ,RS-485, 2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 32,000,000 |
| 11 | RS-NVR432H5  |  32ch H265+ 4K NVR | 32 CHANNEL 4K NVR Up to 32 channel IP camera , Third-Party Onvif Support Up to 12 MP Resolution recording, Max 320 Mbps Bit rate input Playback 16 CH@1080p or 8 CH@4MP or 4 CH@4K or 3CH@12MP H.265+ , H.265, H.264 video compression 4 SATA (32TB), 3 USB 2.2, 16/4 Alarm in/out, 1/1 Audio I/O 2 HDMI, HDMI2 at up to 4K, VGA (1920*1080p) ANR Technology Support ,RS-485, 2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 16,992,000 |

| ردیف | مدل | تصویر | مشخصات | قیمت (تومان) |
|------|---|--|---|-------------------|
| 12 | RS-NVR9532-N4  |  32 ch H265+ 4K NVR | 32 CHANNEL 4K NVR Up to 32 channel IP camera , Third-Party Onvif Support Up to 12 MP Resolution recording, Max 320 Mbps Bit rate input Playback 16 CH@1080p or 8 CH@4MP or 4 CH@4K or 3CH@12MP H.265+ , H.265, H.264 video compression 4 SATA (32TB), 3 USB 2.2, 16/4 Alarm in/out, 1/1 Audio I/O 2 HDMI, HDMI2 at up to 4K, VGA (1920*1080p) ANR Technology Support ,RS-485, 2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 16,992,000 |
| 13 | RS-NVR9332N2  |  32 ch H265+ 4K NVR | 32 Channel 4K NVR Support Ultra265/H.265/H.264 video formats 32-channel input Third-party IP cameras supported with ONVIF conformance: HDMI up to 4K, and VGA (1920*1080) Up to 8 Megapixels resolution recording, Max 160 Mbps Bit rate input Playback 8CH @1080P or 4CH @4mp or 2CH @4K 2 SATA HDDs, up to 6TB for each HDD ANR technology to enhance the storage reliability when the network is disconnected Support cloud upgrade Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 7,362,000 |
| 14 | RS-NVR416H5  |  16 ch H265+ 4K NVR | 16 CHANNEL 4K NVR Up to 16 channel IP camera, Third-Party Onvif Support Up to 8 MP Resolution recording, Max 112 Mbps Bit rate input Playback 4 CH@1080p or 2 CH@4MP or 1 CH@4K H.265+ , H.265, H.264 video compression 2 SATA (16TB), 2 USB 2.2, /1 Audio I/O HDMI (4k) , VGA (1920*1080p) ANR Technology Support ,RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 5,971,000 |
| 15 | RS-NVR9416N1  |  16 ch H265+ 4K NVR | 16 CHANNEL 4K NVR Up to16 channel IP camera , Third-Party Onvif Support Up to 8 MP Resolution recording, Max 160 Mbps Bit rate input Playback 8 CH@1080p or 4 CH@4MP or 2CH@4K H.265+ , H.265, H.264 video compression 2 SATA up to 6TB for each HDD, 2 USB 2.2, 4/1, 1/1 Audio I/O HDMI (4k) , VGA (1920*1080p) ANR Technology Support ,2RJ45 (1000) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 5,864,000 |
| 16 | RS-NVR9316N1  |  16 ch H265+ 4K NVR | 16CHANNEL 4K NVR Up to 16 channel IP camera , Third-Party Onvif Support Up to 8 MP Resolution recording, Max 64Mbps Bit rate input Playback 8 CH@1080p or 4 CH@4MP or 2 CH@4K H.265+ , H.265, H.264 video compression 1 SATA (6TB), 2 USB 2.2, 4/1 Alarm in/out, 1/1 Audio I/O HDMI (4k) , VGA (1920*1080p) RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 4,152,000 |
| 17 | RS-NVR408H5  |  8 ch H265+ 4K NVR | 8 CHANNEL 4K NVR Up to 8 channel IP camera , Third-Party Onvif Support Up to 8 MP Resolution recording, Max 48 Mbps Bit rate input Playback 4 CH@1080p or 2 CH@4MP or 1 CH@4K H.265+ , H.265, H.264 video compression 1 SATA (8TB), 2 USB 2.2, 4/1 Alarm in/out, 1/1 Audio I/O HDMI (4k) , VGA (1920*1080p) ANR Technology Support ,RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade , P2P, Smart Alarming | 3,617,000 |

| ردیف | مدل | تصویر | مشخصات | قیمت (تومان) |
|------|--|---|--|------------------|
| 18 | RS-NVR208H5  |  4 ch H265+ 4K NVR | 8 CHANNEL 2MP NVR Up to 8 channel IP camera Up to 2 MP Resolution recording, Max 40 Mbps Bit rate input Playback 8 sync playback H.265+ , H.265, H.264 video compression 1 SATA (10TB), 2 USB 2.0 1HDMI, VGA RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade | 2,547,000 |
| 19 | RS-NVR204H5  |  8 ch H265+ 4K NVR | 4 CHANNEL 2MP NVR Up to 4 channel IP camera Up to 2 MP Resolution recording, Max 40 Mbps Bit rate input Playback 4 sync playback H.265+ , H.265, H.264 video compression 1 SATA (10TB), 2 USB 2.0 1HDMI (4k), VGA RJ45 (100) Mbps Network monitoring by web viewer, RCMS900, RCMS+, cloud upgrade | 2,226,000 |