


ردیف	مدل	تصویر	مشخصات	قیمت (تومان)
1	HFW1500DP		<p>5MP Starlight HDCVI IR Bullet Camera Max 25 fps@5MP 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 80m, Smart IR IP67, DC12V</p>	1,600,000
2	HFW1500TLP-A	 	<p>5Megapixel CMOS 20fps@5MP, 25/30fps@4MP 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Built-in Mic Max. IR length 80m, Smart IR IP67, DC12V</p>	1,382,000
3	B2A51P	 	<p>5Megapixel CMOS Metal Case 20fps@5MP, 25/30fps@4MP 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 20m, Smart IR IP67, DC12V</p>	1,270,000
4	B1A51P	 	<p>5Megapixel CMOS Plastic Case 20fps@5MP, 25/30fps@4MP 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 20m, Smart IR IP67, DC12V</p>	1,196,000
5	HFW1400THP-I8	 	<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 80m, Smart IR IP67, DC12V</p>	1,490,000
6	HFW1400DP	 	<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 80m, Smart IR IP67, DC12V</p>	1,730,000

رقم	مدل	تصویر	مشخصات	قیمت (تومان)
7	HFW1400THP-I4		<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 40m, Smart IR IP67, DC12V</p> <p>NEW</p> <p>Lite 1080P Starlight 30m IR DC 12V IP67 Temperature</p>	1,436,000
8	HFW1400TLP		<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 40m, Smart IR IP67, DC12V</p> <p>Lite 4Mp 40m IR IP67 DC 12V Temperature</p>	1,200,000
9	HFW1400TP-A		<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu, Built-in Mic Max. IR length 30m, Smart IR IP67, DC12V</p> <p>Lite 4Mp 20m IR DC 12V IP67 Temperature</p>	1,712,000
10	HFW1400TP		<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 30m, Smart IR IP67, DC12V</p> <p>Lite 4Mp 20m IR DC 12V IP67 Temperature</p>	1,624,000
11	HFW1400SP		<p>4Megapixel CMOS 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 30m, Smart IR IP67, DC12V</p> <p>Lite 4Mp 30m IR DC 12V IP67 Temperature</p>	1,290,000
12	B2A41P		<p>4Megapixel CMOS Metal Case 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 20m, Smart IR IP67, DC12V</p> <p>Cooper Series 4Mp 20m IR DC 12V IP67 Temperature</p>	1,165,000
13	B1A41P		<p>4Megapixel CMOS Plastic Case 25/30fps@4MP, 25/30fps@1080P 3.6mm fixed lens DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR HD and SD output switchable OSD Menu Max. IR length 20m, Smart IR IP67, DC12V</p> <p>Cooper Series 4Mp 20m IR DC 12V IP67 Temperature</p>	1,072,000

رقم	مدل	تصویر	مشخصات	قیمت (تومان)
14	HFW1230DP		<p>2Megapixel CMOS Starlight 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens(6mm, 8mm optional) HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 80m, Smart IR IP67, DC12V</p>	1,564,000
				
15	HFW1230THP-I4		<p>2Megapixel CMOS Starlight 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens(2.8mm, 6mm optional) HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 40m, Smart IR IP67, DC12V</p>	1,431,000
				
16	HFW1239TLMP-LED		<p>2MP Full-color starlight HDCVI Bullet camera 1/2.8 inch 2.16 MP CMOS Max. 30 fps@1080p 40 m illumination distance DWDR, 2DNR 3.6 mm fixed lens (2.8 mm optional) CVI/CVBS/AHD/TVI switchable IP67, DC 12 V</p>	1,400,000
				
17	HFW1239TP-A-LED		<p>2MP Full-color HDCVI Bullet camera 1/2.8 inch 2 MP CMOS Max. 30 fps@1080p Built-in Mic WDR 130(dB) 20 m illumination distance, 3DNR 3.6 mm fixed lens (2.8 mm optional) CVI/CVBS/AHD/TVI switchable IP67, DC 12 V</p>	1,640,000
		 		
18	HFW1239TP-LED		<p>2MP Full-color HDCVI Bullet camera 1/2.8 inch 2 MP CMOS Max. 30 fps@1080p WDR 130(dB) 20 m illumination distance, 3DNR 3.6 mm fixed lens (2.8 mm optional) CVI/CVBS/AHD/TVI switchable IP67, DC 12 V</p>	1,500,000
				
19	HFW1209CP-A-LED		<p>2MP Full-color HDCVI Bullet camera 1/2.8 inch 2 MP CMOS Max. 30 fps@1080p Built-in Mic 20 m illumination distance, 3DNR 3.6 mm fixed lens (2.8 mm optional) CVI/CVBS/AHD/TVI switchable IP67, DC 12 V</p>	1,088,000
		 		
20	HFW1209CP		<p>2MP Full-color HDCVI Bullet camera 1/2.8 inch 2 MP CMOS Max. 30 fps@1080p 20 m illumination distance, 3DNR 3.6 mm fixed lens (2.8 mm optional) CVI/CVBS/AHD/TVI switchable IP67, DC 12 V</p>	1,067,000
				



مدل

تصویر

مشخصات

قیمت (تومان)

21

HFW1230SP



2MP Starlight HDCVI IR Bullet Camera
Starlight
 Max. 30fps@1080P
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR
 HD and SD output switchable
 3.6mm fixed lens
 Max. IR length 30m, Smart IR
 IP67, DC12V
 OSD Menu

990,000

22

HFW1220DP



2Megapixel CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 3.6mm fixed lens
 HD and SD output switchable
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 Max. IR LEDs length 80m, Smart IR
 IP67, DC12V

1,190,000

23

HFW1200DP



2Megapixel CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 3.6mm fixed lens
 HD and SD output switchable
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 Max. IR LEDs length 80m, Smart IR
 IP67, DC12V

1,305,000

NEW

24

HFW1200THP-18



2Megapixel CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 3.6mm fixed lens
 HD and SD output switchable
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 Max. IR LEDs length 80m, Smart IR
 IP67, DC12V

1,202,000

NEW

25

HFW1200THP-14



2Megapixel CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 3.6mm fixed lens
 HD and SD output switchable
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 Max. IR LEDs length 40m, Smart IR
 IP67, DC12V

1,072,000

26

HFW1200TLP



2Megapixel CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 3.6mm fixed lens
 HD and SD output switchable
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 Max. IR LEDs length 40m, Smart IR
 IP67, DC12V

850,000

27

HFW1200TP-A



2Megapixel CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 3.6mm fixed lens
Built-in Mic
 HD and SD output switchable
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 Max. IR LEDs length 30m, Smart IR
 IP67, DC12V

1,134,000

رقم	نموذج	تصوير	مميزات	قيمة (تومان)
28	HFW1200TP		2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	1,068,000
				
29	HFW1200SP		2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	880,000
				
30	HFW1220SP		2Megapixel CMOS Starlight 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	930,000
				
31	B2A21P Cooper Series		2Megapixel CMOS Metal Case Max. 30fps@1080P HD and SD output switchable 3.6mm fixed lens Max. IR length 20m, Smart IR Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR IP67, DC12V	817,000
				
32	B1A21P Cooper Series		2Megapixel CMOS Plastic Case Max. 30fps@1080P HD and SD output switchable 3.6mm fixed lens (6mm optional) Max. IR length 20m, Smart IR Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR IP67, DC12V	683,000
				
33	HDW1500EMP-A		5Megapixel CMOS Max. 30fps@1080P HD and SD output switchable 3.6mm fixed lens Built-in Mic Max. IR length 50m, Smart IR Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR IP67, DC12V	1,410,000
				
34	HDW1509TLQP-A Full-Color		5MP Full color HDCVI Quick to install Eyeball Camera Max 25 fps@5MP HD and SD output switchable 3.6mm fixed lens Built-in Mic 120dB true WDR Max. IR length 20m, Smart IR Support OSD Menu Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR IP67, DC12V	1,800,000
				



مدل

تصویر

مشخصات

قیمت (تومان)

35

HDW1500MP



5Megapixel CMOS
 Max. 30fps@1080P
 HD and SD output switchable
 3.6mm fixed lens
 Max. IR length 50m, Smart IR
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 IP67, DC12V

1,390,000

36

T2A51P

Cooper Series



5Megapixel CMOS Metal Case
 Max. 30fps@1080P
 HD and SD output switchable
 3.6mm fixed lens
 Max. IR length 20m, Smart IR
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 IP67, DC12V

1,270,000

37

T1A51P

Cooper Series



5Megapixel CMOS Plastic Case
 Max. 30fps@1080P
 HD and SD output switchable
 3.6mm fixed lens
 Max. IR length 20m, Smart IR
 Support OSD Menu
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR
 IP67, DC12V

1,196,000

38

HDW1400EMP-A



4Megapixel CMOS
 25/30fps@4MP, 25/30fps@1080P
 3.6mm fixed lens
Build-in Mic
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR
 HD and SD output switchable
 OSD Menu
 Max. IR length 50m, Smart IR
 IP67, DC12V

1,712,000

39

HDW1400MP



4Megapixel CMOS
 25/30fps@4MP, 25/30fps@1080P, 25/30fps@720P
 3.6mm fixed lens
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR
 HD and SD output switchable
 OSD Menu
 Max. IR length 30m, Smart IR
 IP67, DC12V

1,318,000

40

T2A41P

Cooper Series



4Megapixel CMOS Metal Case
 25/30fps@4MP, 25/30fps@1080P
 2.8mm fixed lens
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR
 HD and SD output switchable
 OSD Menu
 Max. IR length 20m, Smart IR
 IP67, DC12V

1,165,000

41

T1A41P

Cooper Series



4Megapixel CMOS Plastic Case
 25/30fps@4MP, 25/30fps@1080P
 2.8mm fixed lens
 DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR
 HD and SD output switchable
 OSD Menu
 Max. IR length 20m, Smart IR
 IP67, DC12V

1,072,000



مدل

تصویر

مشخصات

قیمت (تومان)

42	HDW1200EMP-A        	2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 2.8mm fixed lens Built-in Mic HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 50m, Smart IR IP67, DC12V	1,152,000
43	HDW1220EMP-A        	2Megapixel CMOS 25/30fps@1080P, 25/30/50/60fps@720P 3.6mm fixed lens Built-in Mic HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 50m, Smart IR IP67, DC12V	1,014,000
44	HDW1230MP        	2MP Starlight HDCVI IR Eyeball Camera Starlight Max. 30fps@1080P DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR HD and SD output switchable 3.6mm fixed lens Max. IR length 30m, Smart IR IP67, DC12V, OSD Menu	956,000
45	HDW1220MP       	2Megapixel CMOS 25/30fps@1080P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	750,000
46	HDW1200MP       	2Megapixel CMOS 25/30fps@1080P 3.6mm fixed lens HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 30m, Smart IR IP67, DC12V	998,000
47	<div style="background-color: red; color: white; padding: 2px;">NEW</div> HDW1200TRQP-A       	2Megapixel CMOS Plastic Case 25/30fps@1080P, 25/30/50/60fps@720P 2.8mm fixed lens Built-in Mic HD and SD output switchable Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 25m, Smart IR, DC12V	1,068,000
48	<div style="background-color: red; color: white; padding: 2px;">NEW</div> HDW1239TP-A-LED  	2MP Full-color HDCVI Eyeball Camera 24/7 color imaging, Max. 30 fps@1080p 2.8mm fixed lens Built-in Mic Super Adapt, 130 dB true WDR HD and SD output switchable Support OSD Menu Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR Max. IR LEDs length 40m, Smart IR, DC12V	1,640,000

رقم	مدل	تصویر	مشخصات	قیمت (تومان)
49	HDW1209TLQP-LED Full-color		2MP Full-color HDCVI DOME camera 1/2.8 inch 2 MP CMOS Max. 30 fps@1080p 20 m illumination distance, 3DNR 3.6 mm fixed lens (2.8 mm optional) CVI/CVBS/AHD/TVI switchable IP67, DC 12 V	1,067,000
50	T2A21P Cooper Series	 	2Megapixel CMOS Metal Case Max. 30fps@1080P HD and SD output switchable 3.6mm (& 2.8mm) fixed lens Max. IR length 20m, Smart IR Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR IP67, DC12V	817,000
51	T1A21P Cooper Series	 	2Megapixel CMOS Plastic Case Max. 30fps@1080P HD and SD output switchable 2.8mm fixed lens Max. IR length 20m, Smart IR Support OSD Menu DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2D-DNR DC12V	683,000
52	SD59230I-HC  		2MP 30x Starlight IR PTZ HDCVI Camera 1/2.8" Starvis CMOS Max. 25/30fps @1080P(1920x1080) & 20/30/50/60fps @720PResolution 4.5mm~135mm 30x optical zoom WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Max 400°/s pan speed, 360° endless pan rotation HD and SD switchable Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Audio(in/out) 1 / 1 Built-in 2/1 Alarm in/out IR Distance up to 150m IP66,OSD	call
53	SD59225I-HC-S2  		2Megapixel Exmor IR CMOS Starlight Max 25/30fps @1080P & 20/30/50/60fps @720P Resolution 4.8mm ~ 120mm 25x optical zoom WDR (120db), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Max 400°/s pan speed, 360° endless pan rotation Control over coaxial cable 1-channel BNC HDCVI/CVBS output (switchable) Up to 300 presets, 5 auto scan, 8 tour, 5 pattern Built-in 2/1 Alarm in/out 1 Audio Input , RS485 IR Distance up to 150m IP66,OSD	call

54 SD49225I-HC-LA



2MP 25x Starlight IR PTZ HDCVI Camera
 1/2.8" 2Megapixel Exmor R CMOS
 25/30fps@1080P, 25/30/50/60fps@720P
 Powerful 25x optical zoom, Digital Zoom 16x, Focal Length 4.8mm~120mm
 Starlight technology
 120dB true WDR, 3D DNR
 Max. 25/30fps@1080P, 25/30/50/60fps@720P
 IR distance up to 100m
 PTZ Mode 5 Pattern, 8 Tour, Auto Pan ,Auto Scan
 Noise Reduction Ultra DNR (2D/3D),IP66

call

55 XVR1A04

Cooper Series



4 Channel Penta-brid **1080N/720P** Cooper 1U Digital Video Recorder
 H.264 video compression
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 5 channels IP camera inputs, 4+1 each channel up to 2MP; Max 20Mbps Incoming Bandwidth
 Long transmission distance over coax cable
 Supports 1 SATA HDD, up to 6TB
 Audio in/out 1/1 RCA
 2USB (usb 2.0), P2P Support

1,591,000

NEW

56 XVR1B04-I

Wiz Sense



4 Channel Penta-brid **1080N/720P** Cooper 1U Digital Video Recorder
 H.265+/H.265 video compression
 Supports Full channel AI-Coding
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 5 channels IP camera inputs
 2MP; Max 20Mbps Incoming Bandwidth
 Smart Search and Intelligent Video System
 Long transmission distance over coax cable
 Supports 1 SATA HDD, up to 6TB
 Audio in/out 1/1 RCA
 2USB (usb 2.0), P2P Support

1,826,000

57 XVR5104HS-X1



4 Channel Penta-brid **1080P** Compact 1U Digital Video Recorder
 5MP, 4MP, 1080P@25/30fps, 720P@50/60fps
 H.265+/H.265 dual-stream video compression
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 6 channels IP camera inputs, 4+2 each channel up to 6MP;
 Max 24Mbps Incoming Bandwidth
 Smart Search and Intelligent Video System
 Audio In/Out: 1/1, RCA
 USB: 2 USB Ports (2.0)
 1 SATA Port, up to 6TB capacity
 RS485: 1 Port, for PTZ Control, P2P Support

2,910,000

<p>58</p>	<p>DH-XVR5104HS-I3</p> 		<p>4 Channel Penta-brid 5M-N/1080p Compact 1U 1HDD WizSense Digital Video Recorder 5MP,4MP,1080P@25/30fps, 720P@50/60fps H.265+/H.265 dual-stream video compression · Supports Full-channel AI-Coding Up to 1 channel video stream (analog channel) Perimeter Protection Up to 4 channels video stream (analog channel) SMD Plus Up to 1 channel video stream (analog channel) human face recognition Supports HDCVI/AHD/TVI/CVBS/IP video inputs Max 6 channels IP camera inputs 6MP; Max 32Mbps Incoming Bandwidth Smart Search and Intelligent Video System Supports 1 SATA HDD, up to 6TB USB: 2 USB Ports (1 USB 2.0 + 1 USB 3.0) RS485:1 Port, for PTZ Control,P2P Support 1 Audio Input / 1 Audio Output</p>	<p>3,170,000</p>
<p>59</p>	<p>XVR5104HS-4KL-I3</p>		<p>4 Channel Penta-brid 5MP Compact 1U 1HDD WizSense Digital Video Recorder H.265+/H.265 dual-stream video compression Supports HDCVI/AHD/TVI/CVBS/IP video inputs Max 8 channels IP camera inputs, each channel up to 8MP; Max 64 Mbps incoming bandwidth 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 10 TB HDMI , VGA RS485 for PTZ support 2* USB 2.0 10/100 Mbps LAN Interface P2P Support</p>	<p>4,400,000</p>
<p>60</p>	<p>XVR5104HS-4KL-X</p> 		<p>4 Channel Penta-brid 4K Compact 1U Digital Video Recorder H.265+/H.265 dual-stream video compression Supports HDCVI/AHD/TVI/CVBS/IP video inputs Max 6 channels IP camera inputs, each channel up to 8MP; Max 24Mbps Incoming Bandwidth Smart Search and Intelligent Video System 1 Audio Input / 1 Audio Output 1 SATA Port , Up to 10 TB HDMI , VGA RS485 for PTZ support 2* USB 2.0 10/100 Mbps LAN Interface P2P Support</p>	<p>3,846,000</p>
<p>61</p>	<p>XVR-1B08-I</p> 		<p>8 Channel Penta-brid 1080N/720P Cooper 1U Digital Video Recorder H.265+/H.265 video compression Supports HDCVI/AHD/TVI/CVBS/IP video inputs Supports Full channel AI-Coding Max 10 channels IP camera inputs,8+2 each channel up to 6MP; Max 40Mbps Incoming Bandwidth Long transmission distance over coax cable Supports 1 SATA HDD, up to 6TB Smart Search and Intelligent Video System 1 Audio Input / 1 Audio Output HDMI , VGA 2* USB 2.0 10/100 Mbps LAN Interface P2P Support</p>	<p>2,265,000</p>

NEW

62

XVR1A08

Cooper Series



8 Channel Penta-brid 1080N/720P Cooper 1U Digital Video Recorder
 H.265+/H.265 video compression
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 10 channels IP camera inputs, 8+2 each channel up to 5MP; Max 40Mbps Incoming Bandwidth
 Long transmission distance over coax cable
 Supports 1 SATA HDD, up to 6TB
 1 Audio Input / 1 Audio Output
 HDMI , VGA
 2*USB 2.0
 10/100 Mbps LAN Interface
 P2P Support


2,165,000

NEW

63

DH-XVR5108HS-I3

Wiz Sense



8 Channel Penta-brid 5M-N/1080p Compact 1U HDD WizSense Digital Video Recorder
 5MP,4MP,1080P@25/30fps, 720P@50/60fps
 H.265+/H.265 dual-stream video compression · Supports Full-channel AI-Coding
 Up to 1 channel video stream (analog channel) Perimeter Protection
 Up to 8 channels video stream (analog channel) SMD Plus
 Up to 1 channel video stream (analog channel) human face recognition
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 12 channels IP camera inputs
 6MP; Max 64Mbps Incoming Bandwidth
 Smart Search and Intelligent Video System
 Supports 1 SATA HDD, up to 10TB
 USB: 2 USB Ports (1 USB 2.0 + 1 USB 3.0)
 RS485:1 Port, for PTZ Control,P2P Support
 1 Audio Input / 1 Audio Output

4,220,000

NEW

64

XVR5108H-4KL-I2

Wiz Sense



8 Channel Penta-brid 4K Mini 1U Digital Video Recorder
 5MP,4MP,1080P@25/30fps, 720P@50/60fps
 H.265+/H.265 dual-stream video compression
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 16 channels IP camera inputs, each channel up to 8MP; Max 128Mbps Incoming Bandwidth
 Supports Full channel AI-Coding
 Up to 2 channels video stream (analog channel) Perimeter Protection
 Up to 8 channels video stream (analog channel) SMD Plus
 Up to 2 channels video stream (analog channel) human face recognition
 Smart Search and Intelligent Video System
 Supports 1 SATA HDD, up to 10TB
 USB: 1 USB 2.0 1 USB 3.0
 RS485:1 Port, for PTZ Control,P2P Support
 1 Audio Input / 1 Audio Output

6,367,000

65

XVR1B16

Cooper Series



16 Channel Penta-brid 1080N/720P Compact 1U Digital Video Recorder
 H.265+/H.265 dual-stream video compression
 Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 Max 18 channels IP camera inputs, each channel up to 6MP; Max 72Mbps Incoming Bandwidth
 Long transmission distance over coax cable
 Supports 1 SATA HDD, up to 6TB
 1 Audio Input / 1 Audio Output
 HDMI , VGA
 2*USB 2.0
 10/100 Mbps LAN Interface
 P2P Support
 1U, 325mm×255mm×55mm (12.8" x 10" x 2.2")

4,050,000