























ردیف	مدل	تصویر	مشخصات	قیمت تومان
NEW	1 DH-PSDW81642ML-A360-D237		<p>8x2MP Multi-Sensor Panoramic + PTZ WizMind Network Camera Panoramic: Eight 1/1.8" 2 Megapixel progressive scan CMOS 2.8mm fixed lens PTZ: One 1/1.8" 2 Megapixel progressive scan CMOS 5.62mm~208mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 2x25fps@4096x1800+50/60fps@1080P Support 360-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/2 channel Audio In/Out 7/3 channel Alarm In/Out Micro SD memory, IP66, IK10</p>	Call
NEW	2 DH-PSDW8842ML-A180		<p>4x2MP Multi-Sensor Panoramic + PTZ WizMind Network Camera Panoramic: Four 1/1.8" 2 Megapixel progressive scan CMOS 2.8mm fixed lens PTZ: One 1/1.8" 2 Megapixel progressive scan CMOS 5.62mm~208mm, 37x optical zoom H.265+/H.265/H.264+/H.264 triple-stream encoding 25fps@4096x1800+50/60fps@1080P Support 180-degree panoramic view WDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Smart tracking Intelligent Function(Tripwire, Intrusion) 2/2 channel Audio In/Out 7/3channel Alarm In/Out Micro SD memory, IP66, IK10</p>	Call
	3 IPC-PFW83242-A180		<p>4x8MP WizMind Multi-Sensor Panoramic Bullet Network Camera 4 × 8MP, 1/1.8" CMOS image sensor, low illuminance, high image definition H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x1800 2.8mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/2 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>	Call
NEW	4 IPC-PDBW8840-A180		<p>4x2MP WizMind Multi-Sensor Panoramic Dome Network Camera Four 2MP 1/2.8" CMOS image sensor, low illuminance, high image definition H.265+/H.265/H.264+/H.264 Outputs max. 8MP (4096 × 1800) @30 fps 2.8mm fixed lens Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 2/2 channel Alarm In/Out Max. IR LEDs length 30m Micro SD memory, IP67, IK10,PoE+</p>	Call
NEW	5 IPC-HFW71242H-Z		<p>12MP IR Bullet WizMind Network Camera 12MP 1/1.7" CMOS image sensor, high image definition H.265+/H.265/H.264+/H.264 triple-stream encoding Max 25fps@4096x832 3.6mm fixed lens Rotation mode, DWDR; 3D NR, HLC, BLC, digital watermarking Perimeter Protection , Face Detection , Video Metadata , ANPR , People Counting , Queue Management 1/1 channel Audio In/Out 3/2 channel Alarm In/Out Max. IR LEDs length 60m Micro SD memory, IP67, IK10,PoE</p>	Call



رقم	مدل	تصویر	مشخصات	قیمت تومان
NEW	6	IPC-HFW3841T-ZS	  <p>8MP IR Vari-focal Bullet WizSense Network Camera 8MP, 1/2.8" CMOS image sensor, low illuminance, high image definition H.265 codec, high compression rate, low bit rate ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments. Outputs max. 8MP (3840 × 2160) @20 fps (AI function enabled by default) and supports 8MP (3840 × 2160) @25/30 fps (when AI function disabled) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens (3.6mm, 6mm optional) Max. IR LEDs Length 60m Micro SD Memory,IP67,IK10, PoE</p>	Call
NEW	7	IPC-HFW3841E-AS	  <p>8MP IR Fixed focal Bullet WizSense Network Camera 8MP, 1/2.8" CMOS image sensor, low illuminance, high image definition H.265 codec, high compression rate, low bit rate ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments. Outputs max. 8MP (3840 × 2160) @20 fps (AI function enabled by default) and supports 8MP (3840 × 2160) @25/30 fps (when AI function disabled) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens (3.6mm, 6mm optional) Max. IR LEDs Length 30m, built-in Mic Micro SD Memory,IP67,IK10, PoE</p>	Call
NEW	8	IPC-HFW3541T-ZS	  <p>5MP IR Vari-focal Bullet WizSense Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition Outputs max. 5MP (2592 × 1944) @20 fps, and supports 4MP (2688 × 1520) @25/30 fps H. 265&H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 60m Micro SD Memory,IP67,IK10, PoE</p>	Call
NEW	9	IPC-HFW3541E-AS	  <p>5MP IR Fixed focal Bullet WizSense Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition Outputs max. 5MP (2592 × 1944) @20 fps, and supports 4MP (2688 × 1520) @25/30 fps H. 265&H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) Smart Detection supported WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length50m,built-in Mic Micro SD Memory,IP67,IK10, PoE</p>	Call
NEW	10	DH-IPC-HFW4431TP-S-S4	 <p>4MP WDR IR Mini Bullet Network Camera 1/3" 4Megapixel progressive scan CMOS H.265&H.264 triple-stream encoding 25/30fps@4Mp(2688x1520) Smart Detection :Tripwire, Intrusion, Object Abandoned/Missing , Face Detection WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 80m Micro SD memory 256GB IP67, IK10, DC 12 V,PoE</p>      	4,600,000
NEW	11	DH-IPC-HFW2431TP-ZS	 <p>4MP WDR IR Bullet Network Camera 1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB 2.7~13.5mm varifocal lens Motorized Max IR LEDs Length 60m IP67, IK10(optional), PoE</p>     	6,105,000

رقم المنتج	مدل	تصوير	مشخصات	قیمت تومان
NEW	12	IPC-HFW3441E-AS Wiz Sense	 <p>4MP IR Fixed focal Bullet WizSense Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition Outputs max. 4MP (2688 × 1520)@30 fps 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Alarm: In, out; Audio: In, out; Supports max. 256 G Micro SD card, built-in Mic lens 3.6mm,Max IR LEDs Length 50m IP67, IK10(optional), PoE</p>	3,950,000
NEW	13	IPC-HFW2431TP-AS	 <p>4MP Lite IR Fixed-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition H.265 & H.264 dual-stream encoding 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 256GB, built-in Mic Max IR LEDs Length 80m IP67, IK10(optional), PoE</p>	4,400,000
NEW	14	DH-IPC-HFW2439S-SA-LED Wiz Mind	 <p>4MP Lite Full-color Fixed-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition H.265 & H.264 dual-stream encoding 20fps@4M(2688×1520)&25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Supports max. 256 GB Micro SD card 3.6 mm fixed lens,Max IR LEDs Length 30m IP67, IK10(optional), PoE</p>	3,500,000
NEW	15	DH-IPC-HFW2531SP-S2	 <p>5MP Lite IR Fixed-focal Bullet Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition Outputs max. 5MP (2592 × 1944) @20 fps, and supports 2688 × 1520 (2688 × 1520) @25/30 fps H.265 codec, high compression rate, ultra-low bit rate 25/30fps@1080P(1920×1080) Intelligent detection: Intrusion, tripwire WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Supports max. 256 GB Micro SD card,Max IR LEDs Length 30m IP67, PoE</p>	3,325,000
NEW	16	DH-IPC-HFW2431S-SP-S2	 <p>4MP Lite IR Fixed-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition Outputs 4MP (2560 × 1440)@25/30fps, Max. supports 4MP (2688 × 1520)@20 fps H.265 & H.264 dual-stream encoding 25/30fps@1080P(1920×1080) Intelligent detection: Intrusion, tripwire 120dB WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Supports max. 256 GB Micro SD card,Max IR LEDs Length 30m IP67, PoE</p>	3,300,000
NEW	17	DH-IPC-HFW1431S1P	 <p>4MP Entry IR Fixed-focal Bullet Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition H.265 & H.264 dual-stream encoding Outputs 4MP (2560 × 1440) @25/30 fps, and supports max. 4MP (2688 × 1520) @20 fps WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6 mm fixed lens (3.6 mm optional) Max IR LEDs Length 30m IP67, PoE</p>	2,898,000
NEW	18	DH-IPC-HFW1431SP Wiz Mind	 <p>1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6 mm fixed lens Max IR LEDs Length 30m IP67, PoE</p> <p>      </p>	3,360,000

رقم	مدل	تصویر	مشخصات	قیمت تومان
19	DH-IPC-HFW2239S-SA-LED	 <p>Full-color Wiz Mind</p>	<p>2MP Lite Full-color Fixed-focal Bullet Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition Outputs max. 2MP (1920 × 1080) @25/30 fps ROI, SMART H.264+/H.265+, flexible coding, applicable to various 25/30fps@1080P(1920×1080) 120dB WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS Built-in warm lights, max. illumination distance: 30 m Max IR LEDs Length 30m IP67, PoE</p>	3,135,000
20	DH-IPC-HFW2231SP-S	 <p>Wiz Mind</p>	<p>2MP Lite IR Fixed-focal Bullet Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition Outputs max. 2MP (1920 × 1080) @25/30 fps ROI, SMART H.264+/H.265+, flexible coding, applicable to various 25/30fps@1080P(1920×1080) Rotation mode, WDR, 3D DNR, HLC, BLC, digital watermarking, applicable to various monitoring scenes 3.6 mm fixed lens Max IR LEDs Length 30m IP67, PoE</p>	2,970,000
21	IPC-HFW2230SP	 <p>Wiz Mind</p>	<p>2MP Lite IR Fixed-focal Bullet Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition Outputs max. 2MP (1920 × 1080) @25/30 fps ROI, SMART H.264+/H.265+, flexible coding, applicable to various 25/30fps@1080P(1920×1080) Rotation mode, WDR, 3D DNR, HLC, BLC, digital watermarking, applicable to various monitoring scenes 3.6 mm fixed lens Max IR LEDs Length 30m IP67, PoE</p>	2,565,000
22	IPC-HFW1230S1-S5	 <p>Wiz Mind</p>	<p>2MP Entry IR Fixed-Focal Bullet Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	1,873,000
23	DH-IPC-HFW1230SP	 <p>1080p FULL HD H.265+ 30mIR IP67</p>	<p>1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	2,415,000
24	IPC-HFW1239S1P-LED-S4	 <p>Full-color Wiz Sense</p>	<p>2MP Lite Full-color Fixed-focal Bullet Network Camera 2MP, 1/2.7" CMOS image sensor, low illuminance, high image definition H.265& H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6 mm fixed lens Max IR LEDs Length 30m IP67, PoE</p>	2,080,000
25	IPC-HDBW71242H-Z	 <p>ePoE Wiz Mind</p>	<p>12MP IR Dome WizMind Network Camera 12MP 1/1.7" CMOS image sensor, high image definition H.265+/H.265/H.264+/H.264 Outputs max. 12MP (4000 × 3000) @25/30 fps 2.7 mm-12 mm Support 180-degree panoramic view DWDR, Day/Night(ICR), 3DNR, AWB, AGC, HLC, BLC Intelligent Function Tripwire, Intrusion, Object Abandoned/Missing, Heat Map, E-PTZ 1/1 channel Audio In/Out 3/2 channel Alarm In/Out Max. IR LEDs length 40m Micro SD memory, IP67, IK10,PoE+</p>	Call

رقم	مدل	تصویر	مشخصات	قیمت تومان
NEW	26 IPC-HDW3841EM-AS Wiz Sense		<p>8MP IR Fixed focal Eyeball WizSense Network Camera 8MP, 1/2.8" CMOS image sensor, low illuminance, high image definition Outputs max. 8MP (3840 × 2160) @20 fps (AI function enabled by default) and supports 8MP (3840 × 2160) @25/30 fps (when AI function disabled) H.265&H.264 triple-stream encoding ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments. WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mm fixed lens Built-in Mic Max. IR LEDs Length 30m Micro SD memory, IP67, PoE</p>	Call
NEW	27 IPC-HDW3541T-ZAS Wiz Sense		<p>5MP IR Vari-focal Eyeball WizSense Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition Outputs max. 5MP (2592 × 1944) @20 fps, and supports 4MP (2688 × 1520) @25/30 fps H.265&H.264 triple-stream encoding ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments. WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC 3.6mm fixed lens Built-in Mic Max. IR LEDs Length 40m Micro SD memory, IP67, PoE</p>	Call
NEW	28 IPC-HDW3541TM-AS Wiz Sense		<p>5MP IR Fixed focal Eyeball WizSense Network Camera 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition Outputs max. 5MP (2592 × 1944) @20 fps, and supports 4MP (2688 × 1520) @25/30 fps H.265&H.264 triple-stream encoding 20fps@6MP(3072x2048), 25/30fps@4MP(2688x1520) Smart detection supported WDR(120dB), Day/Night(ICR), 3DNR,AWB,AGC,BLC 2.8mm fixed lens (3.6mm optional) Built-in Mic Max. IR LEDs Length 50m Micro SD memory, IP67, PoE</p>	Call
NEW	29 DH-IPC-HDW2431T-AS-S2	      	<p>4MP Starlight IR Eyeball Network Camera 1/3" CMOS image sensor, low illuminance, high image definition H.265&H.264 Two-stream encoding ,ROI 20fps@4Mp(2688x1520) Smart Detection :Tripwire, Intrusion WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC 2.8mm fixed lens Max. IR LEDs Length 30m Micro SD memory 256GB,built-in Mic IP67, DC 12 V,PoE</p>	3,500,000
NEW	30 DH-IPC-HDBW2431RP-ZS Wiz Mind	      	<p>4MP Lite IR Vari-focal Dome Network Camera 1/3" 4Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB 2.7~13.5mm varifocal lens Max IR LEDs Length 40m IP67, IK10, PoE</p>	6,105,000
	31 IPC-HDW1431S-S4		<p>4MP Entry IR Fixed-focal Eyeball Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition H.265 & H.264 dual-stream encoding 20fps@4M(2688x1520)&25/30fps@3M(2304x1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB 3.6mm fixed lens Max IR LEDs Length 30m IP67, IK10, PoE</p>	2,898,000

ردیف	مدل	تصویر	مشخصات	قیمت تومان
32	DH-IPC-HDBW1431EP		<p>1/3" 4Megapixel progressive CMOS H.265& H.264 dual-stream encoding 20fps@4M(2688×1520) &25/30fps@3M(2304×1296) WDR(120dB), Day/Night(ICR), 3DNR, AWB, AGC, BLC Micro SD card slot, up to 128GB 2.8 mm fixed lens (3.6 mm optional) Max IR LEDs Length 30m IP67, IK10, PoE</p>	2,898,000
				
				
				
33	IPC-HDW3441TM-AS		<p>4MP IR Fixed focal Eyeball WizSense Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition Outputs max. 4MP (2688 × 1520) @30 fps H.265& H.264 dual-stream encoding 25/30fps@1080P(1920×1080) Rotation mode,WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC, Supports max. 256 G Micro SD card, built-in Mic 3.6mm fixed lens Max IR LEDs Length 50m IP67, PoE</p>	3,950,000
				
				
34	IPC-HDW2439T-AS-LED		<p>4MP Lite Full-color Fixed-focal Eyeball Network Camera 4MP, 1/3" CMOS image sensor, low illuminance, high image definition Outputs 4MP (2560 × 1440) @ 25/30 fps, Max. supports 4MP H.265& H.264 dual-stream encoding Rotation mode,WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Supports max. 256 GB Micro SD card and built-in Mic Built-in warm lights, max. illumination distance: 30 m Max IR LEDs Length 30m IP67, PoE</p>	3,500,000
				
				
				
35	IPC-HDW2239T-AS-LED		<p>2MP Lite Full-color Fixed-focal Eyeball Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition Outputs max. 2MP (1920 × 1080) @25/30 fps H.265& H.264 dual-stream encoding Rotation mode,WDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC Supports max. 256 GB Micro SD card and built-in Mic Built-in warm lights, max. illumination distance: 30 m Max IR LEDs Length 30m IP67, PoE</p>	2,850,000
				
				
				
36	IPC-HDW2231T-AS-S2		<p>2MP Lite IR Fixed-focal Eyeball Network Camera 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definition Outputs max. 2MP (1920 × 1080) @25/30 fps 25/30fps@1080P(1920×1080) 120dB WDR, Day/Night(ICR), 3DNR, HLC, AGC, BLC Supports max. 256 GB Micro SD card, built-in Mic 2.8 mm fixed lens Max IR LEDs Length 30m IP67, PoE</p>	2,970,000
				
				
37	IPC-HDW2230T-AS-S2		<p>2MP IR Eyeball Network Camera 2MP, 1/2.7" CMOS image sensor, low illuminance, high image definition Outputs 2MP (1920 × 1080)@25/30 fps 120dB WDR,Day/Night(ICR), 3DNR, HLC, AGC, BLC Supports max. 256 GB Micro SD card, built-in Mic 2.8 mm fixed lens Max IR LEDs Length 30m IP67, PoE</p>	2,565,000
				
				
38	IPC-HDW1230T1-S5		<p>2MP Entry IR Fixed-Focal Eyeball Network Camera 1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920×1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	1,873,000

رقم	مدل	تصویر	مشخصات	قیمت تومان
39	DH-IPC-HDW1230SP	 <p>1080P FULL HD H.265+ 30m IR IP67</p> <p>Wiz Sense</p>	<p>2MP IR Eyeball Network Camera 1/2.7" 2Megapixel progressive scan CMOS H.265+/H.265/H.264+/H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6mm fixed lens Max. IR LEDs Length 30m IP67, PoE</p>	2,415,000
40	DH-IPC-HDBW1230EP	 <p>1080P FULL HD H.265 30m IR IP67</p> <p>Wiz Sense</p>	<p>2MP IR Mini-Dome Network Camera 1/2.7" 2Megapixel progressive CMOS H.265 & H.264 dual-stream encoding 25/30fps@1080P(1920x1080) DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC 3.6 & 2.8mm fixed lens Max IR LEDs length 30m IP67, IK10, PoE</p>	2,415,000
41	DH-SD5A232XA-HNR	 <p>Wiz Sense</p>	<p>2MP 32x Starlight IR WizSense Network PTZ Camera H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.9 mm~156 mm Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66, OSD</p>	Call
42	DH-SD59230U-HNI	 <p>Wiz Sense</p> <p>H.265 WDR 0.005Lux ICR D.N IP66 PoE+</p>	<p>2MP 30x Starlight IR PTZ Network Camera 1/2.8" Exmor R CMOS H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.5mm~135mm 30x optical zoom Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66, OSD</p>	22,000,000
43	DH-SD5A225XA-HNR	 <p>Wiz Sense</p>	<p>2MP 25x Starlight IR WizSense Network PTZ Camera H.265+/H.265/H.264+/H.264 Encoding Max. 50/60fps@1080P, 25/30/50/60fps@720P 4.9 mm~156 mm Max 400°/s pan speed, 360° endless pan rotation WDR(120dB), Day/Night(ICR), Ultra DNR, Auto iris, Auto focus Auto-tracking and IVS(Tripwire, Intrusion, Abandoned/Missing, Face Detection) Support Defog and EIS Up to 300 presets, 8 tour, 5 pattern, Auto scan, Auto Pan Built-in 2/1 Alarm in/out Audio 1/1 in/out Support PoE+ IR Distance up to 150m IP66, OSD</p>	Call



رقم الوصف	مدل	تصوير	مشخصات	قیمت تومان
NEW 44	DH-SD59225U-HNI Wiz Sense		2MP 25x Starlight IR PTZ Network Camera 1/2.8" 2Megapixel STARVIS™ CMOS Powerful 25x optical zoom Focal Length 4.8mm~120mm 1080P(1920×1080)/720P(1280×720)/ D1(704×576/704×480)/CIF(352×288/352×240) Starlight technology H.265 Encoding Max. 50/60fps@1080P Auto-tracking and IVS Support PoE+ IR distance up to 150m IP66	17,850,000
NEW 45	DH-IPC-SD49225XA-HNR Wiz Sense		2MP 25x Starlight IR PTZ Network Camera 1/2.8" 2Megapixel Starvis Focal Length 4.8mm~120mm 1080P(1920×1080)/720P(1280×720)/ D1(704×576/704×480)/CIF(352×288/352×240) Powerful 25x optical zoom Starlight technology Support H.265&H.264 Triple-streams encoding Max. 25/30fps@1080P, 25/30/50/60fps@720P IVS(Optional) Support PoE+ IR distance up to 100m IP66	16,626,000
NEW 46	DHI-NVR4108HS-4KS2		8 Channel Compact 1U 1HDD Network Video Recorder 8 channel IP camera input 1/4/8/9 channel Live Preview 8CH Playback H.265/H.264 codec decoding Max 80Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 1 SATA HDD up to 6TB, 2 USB2.0 100 Mbps Network Card P2P support	3,570,000
NEW 47	DHI-NVR4108HS-4KS2/L Wiz Sense		8 Channel Compact 1U 1HDD NVR Access Channel 8 Smart H.265+/ Smart H.264+ Network bandwidth : Access: 80 Mbps; Storage: 80 Mbps; Forward: 60 Mbps Resolution: 8MP; 6MP; 5MP; 4MP; 3MP; 1080p; 720p; D1 Multi-screen Display:1 , 4 , 8 views Max. decoding capability: 8 × 1080p@30 fps Multi-channel Playback Up to 8 channels AI : Face detection 4 CH, perimeter protection, IVS, people counting, heat map, and SMD Supports mainstream cameras of ONVIF and RTSP protocols HDD 1 SATA ports, up to 10 TB P2P remote surveillance, video play on mobile device VGA (1920X1080) /HDMI(4K) simultaneous video output Audio Input 1, Audio output 1 Network 1 × RJ-45, 10/100Mbps self-adaptive Ethernet port USB 2 (1 × front USB2.0; 1 × back USB2.0) Supports remote configuration and management of IPC	4,594,000
NEW 48	DHI-NVR4108HS-8P-4KS2 Wiz Mind		8 Channel Compact 1U 8PoE 4K&H.265 Lite Network Video Recorder H.265/H.264 codec decoding Max 80Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support IPC UPnP, 8PoE ports Support ANR technology to enhance the storage reliability when the network break down 1 SATA III Port, Up to 6 TB capacity for each HDD 2 USB Ports (2 USB2.0)	5,000,000
NEW 49	DHI-NVR4216-16P-4KS2 Pro Series		16 Channel 1U 16PoE 4K&H.265 Lite Network Video Recorder H.265/H.264 codec decoding Max 200Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback Up to 2ch@4K/8ch@1080P decoding HDMI/VGA simultaneous video output Support IPC UPnP, 16PoE ports 2 SATA III Ports, Up to 6 TB capacity for each HDD 2 ports(1 USB2.0, 1 USB3.0)	7,156,000

رقم المنتج	مدل	تصوير	مشخصات	قیمت تومان
50	DHI-NVR4216-4KS2/L		<p>16 Channel 1U 2HDD NVR Access Channel 16 Smart H.265+/ Smart H.264+ Network bandwidth : Access: 160 Mbps; Storage: 160 Mbps; Forward: 64 Mbps Resolution: 8MP; 6MP; 5MP; 4MP; 3MP; 1080p; 720p; D1 Multi-screen Display:1 , 4 , 8,16 views Max. decoding capability: 8 × 1080p@30 fps Multi-channel Playback Up to 16 channels AI : Face detection 4 CH, perimeter protection 8 CH, IVS, people counting, heat map, and SMD 12 CH Supports mainstream cameras of ONVIF and RTSP protocols HDD 2 SATA ports, up to 10 TB for a single HDD P2P remote surveillance, video play on mobile device VGA (1920X1080) /HDMI(4K) simultaneous video output Audio Input 1, Audio output 1 , Alarm Input 4 , Alarm Output 2 Network 1 × RJ-45, 10/100/1000 Mbps self-adaptive Ethernet port USB 2 (1 × front USB2.0; 1 × back USB2.0) Supports remote configuration and management of IPC</p>	6,500,000
51	DHI-NVR4216-4KS2		<p>16 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 2 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 4 Alarm Input, 2 Relay Output 1*10/100/1000Mbps Mbps Network Card P2P support</p>	5,775,000
52	DHI-NVR5216-4KS2		<p>16 Channel 1U 4K&H.265 Pro Network Video Recorder H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera 2 SATA III Ports, up to 8TB capacity for each HDD 2 ports (1 Rear USB3.0,1 Front USB2.0)</p>	7,875,000
53	DHI-NVR4232-4KS2/L		<p>32 Channel 1U 2HDD NVR Access Channel 32 Smart H.265+/ Smart H.264+ Network bandwidth : Access: 160 Mbps; Storage: 128 Mbps; Forward: 48 Mbps Resolution: 8MP; 6MP; 5MP; 4MP; 3MP; 1080p; 720p; D1 Multi-screen Display:1 , 4 , 8,16,25,32 views Max. decoding capability: 8 × 1080p@30 fps Multi-channel Playback Up to 16 channels AI : Face detection 4 CH, perimeter protection 8 CH, IVS, people counting, heat map, and SMD 8 CH Supports mainstream cameras of ONVIF and RTSP protocols HDD 2 SATA ports, up to 10 TB for a single HDD P2P remote surveillance, video play on mobile device VGA (1920X1080) /HDMI(4K) simultaneous video output Audio Input 1, Audio output 1 , Alarm Input 4 , Alarm Output 2 Network 1 × RJ-45, 10/100/10000 Mbps self-adaptive Ethernet port USB 2 (1 × front USB2.0; 1 × back USB2.0) Supports remote configuration and management of IPC</p>	8,400,000
54	DHI-NVR4232-4KS2		<p>32 Channel 1U 4K&H.265 Lite Network Video Recorder H.265/H.264 codec decoding Max 200Mbps Incoming Bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support ANR technology to enhance the storage reliability when the network break down 2 SATA III Port, Up to 6 TB capacity for each HDD 2 USB Ports (1 USB2.0, 1 USB3.0)</p>	9,975,000

رقم	مدل	تصویر	مشخصات	قیمت تومان
NEW	55	DHI-NVR4432-4KS2	 <p>32 channel IP camera input 16 channel Live Preview H.265/H.264 codec decoding Max 200Mbps incoming bandwidth Up to 8MP Resolution for Preview and Playback HDMI/VGA simultaneous video output Support 4 SATA HDD up to 6TB 2 USB Ports (1 USB2.0, 1 USB3.0) 16 Alarm Input, 4 Relay Output RS232 , RS485 2*10/100/1000Mbps Mbps Network Card P2P support</p>	10,500,000
				
NEW	56	DHI-NVR5232-4KS2	 <p>32 Channel 1U 4K&H.265 Pro Network Video Recorder H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera 2 SATA III Ports, up to 8TB capacity for each HDD 2 ports (1 Rear USB3.0,1 Front USB2.0)</p>	12,467,000
				
NEW	57	DHI-NVR5432-4KS2	 <p>32 channel IPC input 32 channel Live Preview H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback Max 16ch@1080P H.265/H.264 decoding 2HDMI/VGA simultaneous video output Support 4 SATA HDDs up to 24TB, 3 USB(1 USB3.0, 2USB2.0) 2*1000 Mbps Network Card RS232 16 Alarm In , 6 Relay Output P2P Support</p>	18,375,000
				
NEW	58	DHI-NVR5832-4KS2	 <p>32 Channel 2U 4K&H.265 Pro Network Video Recorder H.265/H.264/MJPEG/MPEG4 codec decoding Max 320Mbps incoming bandwidth Up to 12Mp resolution preview&playback 2HDMI/VGA simultaneous video output 3D intelligent positioning with Dahua PTZ camera Support RAID 0/1/5/6/10 Support N+M fail over 8 SATA III Ports, up to 6TB capacity for each HDD 4 ports (2 Rear USB3.0,2 Front USB2.0)</p>	18,900,000
				
NEW	59	DHI-NVR608-32-4KS2	 <p>32 Channel Ultra 4K H.265 Network Video Recorder Intel Processor Max 32 IP Camera Inputs Max 384Mbps Incoming Bandwidth Up to 12MP Resolution for Preview and Playback 8SATA Port 8TB Capacity Alarm In/Out: 16/8, 2RJ45(10,100,1000 Mbps) 2HDMI , 1 VGA, 1 eSATA, 4 USB Supports RAID 0/1/5/6/10 Smart Tracking and Intelligent Video</p>	28,600,000
NEW	60	DHI-NVR5864-4KS2	 <p>64Channel 2U 4K&H.265 Pro Network Video Recorder (V2.00) Smart H.265+/H.265/Smart H.264+/H.264/MJPEG Max 320Mbps Incoming Bandwidth Up to 12MP Resolution for Preview and Playback 2HDMI/2VGA simultaneous video output 8SATA Port 8TB Capacity Alarm In/Out: 16/8, 2RJ45(10,100,1000 Mbps) Supports RAID 0/1/5/6/10 Smart Tracking and Intelligent Video</p>	29,400,000
				
NEW	61	DHI-NVR608-64-4KS2	 <p>64 Channel Ultra 4K H.265 Network Video Recorder Intel Processor Max 64 IP Camera Inputs Max 384Mbps Incoming Bandwidth Up to 12MP Resolution for Preview and Playback 8SATA Port 8TB Capacity Alarm In/Out: 16/8, 2RJ45(10,100,1000 Mbps) 2 HDMI, 1 VGA, 1 eSATA , 4 USB Supports RAID 0/1/5/6/10 Smart Tracking and Intelligent Video</p>	43,000,000

ACCESSORY

قیمت هر متر به تومان

ردیف	مدل	تصویر	مشخصات	قیمت تومان
62	DH-PFM920I-6UN-C		<p>UTP CAT6 Cable 305 m UTP CAT6,Network Cable CAT6 UTP LAN Internet Ethernet For CCTV Installation POE High-purity oxygen-free copper conductor</p> <p>Conductor Material:Oxygen free copper (99.97% purity) Diameter:0.53 mm ± 0.01 mm</p> <p>Insulation Material:HDPE Min Average Thickness:0.21 mm Diameter:0.95 mm ± 0.1 mm</p>	18,000
63	DH-PFM920I-6U-U		<p>UTP CAT6 Cable 305 m UTP CAT6,Network Cable 24AWG CAT 6 / CAT6 UTP LAN Internet Ethernet For CCTV Installation POE High-purity oxygen-free copper conductor</p> <p>Conductor Material:Oxygen free copper (99.97% purity) Diameter:0.57 mm ± 0.01 mm American Wire Gauge :23AWG</p> <p>Insulation Material:HDPE Min Average Thickness:0.21 mm Diameter:1 mm ± 0.1 mm</p>	21,585

کلیه محصولات با برچسب گارانتی طلایی و کارت گارانتی رستر سرویس ارائه میشود

